

Ambulatory Clinic Recommendations for Testing & PPE

Aerosol Generating Procedures (AGPs) are procedures that aerosolize respiratory, digestive, or ocular secretions (secretions in which live SARS-CoV-2 can be found).

Clinic	Procedure	Aerosolizing Risk	N95 Recommendation*	Testing Recommendation	Rationale for Testing Recommendation	Rationale for N95 Recommendation
All Clinics	Encounters/non-aerosolizing procedures with patients not able to wear a mask for >10 minutes that require staff performing procedure to be within 6 feet (note: N95 optional)*	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during visit or procedure
Anesthesiology	Procedures requiring General Anesthesia	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
Anesthesiology	Procedures requiring MAC	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
Breast Imaging	All	No	No	No	No AGP Risk	No AGP Risk
Cardiology	TEE	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
Cardiology	Stress Testing	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
Dermatology	Biopsies involving breach of oral mucosa and use of electrocautery for hemostasis	Low	N95 per shift	No	Low-Risk AGP	Low-Risk AGP
ENT	Nasal turbinate reduction procedures using high frequency techniques	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
ENT	Change or manipulation of TEP	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
ENT	Procedure on the stoma (tracheostoma) of a laryngectomy	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
ENT	Tracheotomy tube change	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
ENT	Transnasal esophagoscopy	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
ENT	Flexible Laryngoscopy with intervention (eg Laser)	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
ENT	Epistaxis management (tamponade and/or cauterization)	Low	N95 per shift	Yes	Low-Risk AGP	Low-Risk AGP
ENT	Oral biopsy	Low	N95 per shift	No	Low-Risk AGP	Low-Risk AGP
ENT	Ear procedures (middle ear and/or mastoid cells open to ear canal)	Low	N95 per shift	No	Low-Risk AGP	Low-Risk AGP
ENT	Flexible nasolaryngoscopy	Low	N95 per shift	No	Low-Risk AGP	Low-Risk AGP
ENT	Nasal endoscopy	Low	N95 per shift	No	Low-Risk AGP	Low-Risk AGP
ENT	Placement of palatal stiffening implants	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
ENT	Laryngeal botox injections with tracheal injection	No	No	No	No AGP Risk	No AGP Risk
ENT	Nasal debridement procedure	No	No	No	No AGP Risk	No AGP Risk
ENT	Pediatric oral examination	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
Family Medicine	Nasal Swabs	Low	N95 per shift	No	Low-Risk AGP	Low-Risk AGP
Family Medicine	Nebulizing Treatments	Low	N95 per shift	No	Low-Risk AGP	Low-Risk AGP
General Surgery	All minor room procedures	No	No	No	No AGP Risk	No AGP Risk
Geriatrics	Nebulizing Treatments	Low	N95 per shift	No	Low-Risk AGP	Low-Risk AGP
GI	Upper GI Manometry	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
GI	Breath Tests	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
GI Endoscopy	enteroscopy	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
GI Endoscopy	endoscopic ultrasound	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP

Clinic	Procedure	Aerosolizing Risk	N95 Recommendation*	Testing Recommendation	Rationale for Testing Recommendation	Rationale for N95 Recommendation
GI Endoscopy	ERCP (general anesthesia)	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
GI Endoscopy	upper endoscopy	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
GI Endoscopy	Colonoscopy	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
GIM	Nebulizing Treatments	Low	N95 per shift	No	Low-Risk AGP	Low-Risk AGP
GPU	LEEP	No	No	No	No AGP Risk	No AGP Risk
Heme/Onc	New Radiation Starts	No	No	No	No AGP risk; No anticipated profound immunosuppression with start of radiation	No AGP risk
Heme/Onc	Stem Cell Transplant (pre-transplant)	No	No	Yes	Anticipated profound immunosuppression in a high risk population	No AGP Risk
Heme/Onc	New Chemotherapy Starts	No	No	Yes	Anticipated profound immunosuppression in a high risk population	No AGP Risk
ID	Sputum Inductions	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
Neuro	Sleep Studies (CPAP)	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
Neuro	EEG	No	No	No	No AGP Risk	No AGP Risk
Neuro	EMG	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	APICOETOMY - ANT	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	APPLICATION OF INTERDENTAL FIX	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	BONE REPLACEMENT GRAFT,RIDGE	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	GINGEV DISTAL	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	IMPLANT/ABUT EDENTULOUS - ALL	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	LARYNGOSCOPY FLEX FIBEROPTIC D	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	PONTIC PORCELAIN/CERAMIC	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	SCALING	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	EXCISION OF HYPERPLASTIC ALVEO	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	EXC/DESTRCT LES PHARYNX ANY ME	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	LIMITED OCC ADJUST	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	RECEMENT CROWN	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	BONE	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	BONE GRAFT MAXILLA, MALAR, NAS	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	OPEN TX COMP MAND FX MULTI SUR	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	AMALGAM 4+SURF TOOTH	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	EXCISION CLEFT	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	GINGEVECTOMY	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	IMPLANT SUPPORTED CONNECT BAR	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	MANDIBLE CLOSED REDUCTION	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	PULP REMOVAL	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	REMOVE FOREIGN BODY	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	REPLACE SEMI-P ATTACHMENT	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	SPACE MAINT-FIXED UNILATERAL	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	SURG PLACE TEMP ANCHOR W/O FLA	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	VESTIB 2NDARY EPITHEL	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	EXC OSSEOUS TUBEROSITY	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	EXCISION BONE FOR OSTEO MAXILL	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP

Clinic	Procedure	Aerosolizing Risk	N95 Recommendation*	Testing Recommendation	Rationale for Testing Recommendation	Rationale for N95 Recommendation
OMFS	CAST POST AND CORE	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	DRAINAGE OF HEMATOMA/FLUID	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	GINGIVE 1 TO 3 TEETH	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	IMPLANT MAINTENANCE PROCEDURES	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	RESECTION OF PALATE OR EXTENSI	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	SRPE	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	FULL MOUTH DEBRDIEMENT	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	I & D ABCESS, RETROPHARYNGEAL	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	PRIM CLOSE SINUS PERF	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	PULP CAP - INDIRECT	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	REMOVAL IMPLANT/ARCHBAR	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	CORONECTOMY	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	MAXILLARY TORUS REMOVAL	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	AMALGAM 1 SURFACE	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	CROWN-PORCELAIN FUSED NOBLE ME	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	EXC LESION PALATE W/SIM PRM CL	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	MAND FX CLOSED	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	SURG ACCESS UNERUPTED	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	BEN ODO CYST 1.25CM+	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	EXC BEGN TUMR MAND W/INT ORL	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	PARTIAL OSTECTOMY	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	CLOSE, ORAL ANTRAL FISTULA	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	TOOTH REIMPLANT	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	ALVEOLOPLASTY W/O EXT# QUAD	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	AMALGAM THREE SURFACE	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	EXCISION LESION; PALATE/UVULA	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	FULL CAST NIGH NOBLE CROWN	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	INTERIM CARIES ARRESTING MEDICAMENT	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	PORCELAIN/CERAMIC CROWN	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	EXC BEGN TUMR MAX W/INT ORL	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	IMPLANT REMOVAL	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	CUSTOM ABUTMENT	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	EXTRACT - CORONAL REMMANTS	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	IMPLANT REMOVAL	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	IMPLANT SUP RET PORC/METAL FPD	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	IMPLANT SUPPORT	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	PREFAB STAINLESS CROWN-PERMANE	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	BEN ODO CYST UP TO 1.25CM	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	COMPLETE BONY EXT COMP	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	BIOPSY TOOTH	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	CAST POST & CORE IN ADD CROWN	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	CORE BUILD UP	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	AIRWAY ASSIST/SLEEP DEV	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	MANDIBULAR RESECTION PROSTHESI	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	EXS OF BENIGN TUMOR CY MAX ENU	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	LARYNGOSCOPY DIRECT WITH OR W/	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP

Clinic	Procedure	Aerosolizing Risk	N95 Recommendation*	Testing Recommendation	Rationale for Testing Recommendation	Rationale for N95 Recommendation
OMFS	AMALGAM 2 SURFACE	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	PERI SCALING/ROOT OKANNING PER	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	MANIP TX ALVEO FX	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	REMOVE LAT EXOSTOSIS	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	ALV W/ EXT 1-3 TEETH	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	POSTERIOR RESIN COMP - 4+ SURF	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	EXCISION BONE OSTEO OR ABCESS	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	CROWNS	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	PONTIC-PORCELAIN FUSED TO HIGH	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	EXCS OF BEGN TUMR CYST MAND EC	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	DEFINITIVE OBTURATOR PROSTHESI	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	PALATE	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	MANDIBULAR TORUS REMOVA UNI_BI	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	PREFAB ABUTMENT	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	REM TORUS MANDIBULARIS	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	ALVEO W/EXT /QUAD	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	4+SURFACE INCISAL ANGLE(ANTER)	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	ALV NO EXT 1-3 TEETH	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	THERAPEUTIC PULPOTOMY EXCEL FI	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	RADIOGRAPHIC/SURGICAL IMPLANT	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	RESIN 3 SURFACE-ANTERIOR	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	PREFAB STAINLESS STEEL PRIMARY	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	I&D INTRAORAL TISSUE	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	RESIN 1 SURFACE-ANTERIOR	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	BX,BONE,OPEN,DEEP	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	RESIN 2 SURFACE -ANTERIOR	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	ALVEO NO EXTRACT	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	EXC BENIGN UP TO 1.25 CM	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	SOFT TISSUE BIOPSY	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	POSTERIOR RESIN COMP - 3 SURF	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	SEALANT PER TOOTH	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	SOFT TISS EXTRACTION	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	REMOVAL OF IMPLANT;SUPERFICIAL	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	POSTERIOR RESIN COMP - 2 SURF	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	REM RESIDUAL ROOTS	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	POSTERIOR RESIN COMP - 1 SURF	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	COMPLETE BONY EXT	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	PROPHYLAXIS-ADULT 14+	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	PROPHYLAXIS UNDER AGE 14	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	PARTIAL BONEY EXT	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	SURGICAL EXT	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	EXTRACT - ERUPT/EXPOSED	High	N95 per procedure	Yes	High-Risk AGP	High-Risk AGP
OMFS	ATHLETIC MOUTHGUARD FABRICATIO	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	ORAL HYGIENE INSTRUCTION	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure

Clinic	Procedure	Aerosolizing Risk	N95 Recommendation*	Testing Recommendation	Rationale for Testing Recommendation	Rationale for N95 Recommendation
OMFS	ORAL APPLIANCE	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	PROV SPLINT EXTRACORONAL	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	REPAIR RESIN DENTURE BASE	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	REPLACE BROKEN TEETH/PER TOOTH	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	TISSUE COND MADIBULAR	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	BLEACHING	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	PRECISON ATTACHMENT	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	RELIN LOWER DENTURE CHAIRSIDE	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	RELIN UPPER DENTURE LAB	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	REPAIR BROKEN MAND DENTURE	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	TISSUE COND MAXILLARY	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	RELIN UPPER DENTURECHAIRSIDE	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	SEDATIVE FILLING	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	UNSPECIFIED ADJUNCTIVE PROCEDU	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	ABUT SUPP HIGH NOBLE CROWN	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	REPAIR BROKEN COMPLETE DENTURE	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	REPLACEMENT OF REPLACEABLE PART OF SEMI-PRECISSION ATT	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	APPLY DESENSITIZING MEDICAMENT	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	OFFICE VISIT TO OBSERVE ONLY	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	PARTIAL DENTURE-MAX-CAST METAL	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	ADD TOOTH TO EXIS PARTIAL DENT	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	INTERIM PARTIAL DENTURE MAXILL	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	REPLACE MISSING OR BROKEN TEET	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	FLUORIDE GEL CARRIER	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	EXC BENIGN LES 1.25CM+	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	INTERIM PART DENTURE MANDIBULA	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure

Clinic	Procedure	Aerosolizing Risk	N95 Recommendation*	Testing Recommendation	Rationale for Testing Recommendation	Rationale for N95 Recommendation
OMFS	PARTIAL DENTURE-MANDIBULAR RES	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	PARTIAL DENTURE-MAXILLARY-RESI	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	ABUTMENT SUPPORTED PORCELAIN FUSED TO METAL CROWN	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	PARTIAL DENTURE-MANDIBULAR CAS	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	IMPLANT CROWN	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	COMPLETE DENTURE-MANDIBULAR	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	COMPLETE DENTURE-MAXILLARY	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	EMERGENCY PAIN TREATMENT	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	2.6 - 7.5 CM	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	COSMETIC OR SELF PAY	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	COSMETIC OR SELF PAY	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	COSMETIC OR SELF PAY	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	IMPLANT SIMULATION USING 3D IMAGING	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	CEPHALOMETRIC FILM	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	DIAGNOSTIC RADIOLOGY	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	ORAL/FACIAL IMAGES	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	PROC ON DENTOALVEOLAR STRUCTURE	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	RADIOLOGY INTERPRET	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	SIALOLITHOMY; SUBMANDIBULAR (S	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	BIOPSY BONE	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	BIOPSY SAL GLAND; NEEDLE	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	EST CONSULT	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	RADIOLOGIC EXAM, TMJ	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	BIOPSY SKIN	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	DRAINAGE OF SKIN ABSCESS	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	1.1 TO 2 CM	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure

Clinic	Procedure	Aerosolizing Risk	N95 Recommendation*	Testing Recommendation	Rationale for Testing Recommendation	Rationale for N95 Recommendation
OMFS	CLO REDUCTION OF DISLOCTD TMJ	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	OCCLUSAL - INTRAORAL	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	PULP VITALITY	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	INJECTION MUSCLE1-2	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	RE-EVAL - LIMITED/FOCUSED	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	F\FINE NEEDLE ASPIRATION; WITH	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	DETAILED, BY REPORT	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	O. V. - NP EXAM 10 MIN	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	BOTOX INJECTION	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	BOTOX INJECTION	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	FLOOR OF MOUTH	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	INTRAORAL - COMPLETE SERIES	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	BIOPSY LIP	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	EST PAT O. V. -	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	EST PAT O. V. -	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	EST PAT O. V. -	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	EST PAT O. V. -	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	EST PAT O. V. -	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	DRAINAGE OF ABCESS,CYST,HEMATO	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	ORAL EVAL <3YRS-COUNSEL CAREGI	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	LIMITED CONSULT	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	O. V. - NP EXAM	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	O. V. - NP EXAM	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	O. V. - NP EXAM	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	O. V. - NP EXAM	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	PANORAMIC FILM	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	CONTINUING TREATMENT	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure

Clinic	Procedure	Aerosolizing Risk	N95 Recommendation*	Testing Recommendation	Rationale for Testing Recommendation	Rationale for N95 Recommendation
OMFS	TOPICAL APPLICATION OF FLUORIDE	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	PERIODIC EVAL	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	COMPREHENSIVE EVAL	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	POST OP F/U VISIT INCLD GLOBAL	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	LIMITED EVAL	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
OMFS	ABUT SUPP PORC/CER CROWN	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
Ophthalmology	All procedures	No	No	No	No AGP Risk	No AGP Risk
Pediatrics	Nebulizing Treatments	Low	N95 per shift	No	Low-Risk AGP	Low-Risk AGP
Plastic Surgery	All procedures	No	For specific procedures, N95 per week*	No	No AGP Risk	Patient unable to wear a mask during specific procedures
Pulmonary	Nebulizing Treatments	Low	N95 per shift	No	Low-Risk AGP	Low-Risk AGP
Pulmonary	Pulmonary Function Tests	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
Radiology	Barium/Gastro View Enemas	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
Radiology	Upper GI Studies	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
Radiology/Speech	Modified Barium Swallow	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
Rheumatology	All procedures	No	No	No	No AGP Risk	No AGP Risk
Speech	FEES	Low	N95 per procedure	No	Low-Risk AGP	Low-Risk AGP
Speech	Clinical Swallow Eval (Adult)	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
Speech	Dysphagia therapy (Adult)	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
Speech	Clinical Feeding Eval (Pedi)	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
Speech	Feeding/dysphagia therapy (Pedi)	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
Speech	Language Eval or Treatment (Adult or Pedi)	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
Speech	Cognitive Eval or Treatment (Adult or Pedi)	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
Speech	Speech Eval or Treatment (Adult or Pedi)	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
Speech	Voice Eval or Treatment (Adult or Pedi)	No	N95 per week*	No	No AGP Risk	Patient unable to wear a mask during procedure
Urology	All procedures	No	No	No	No AGP Risk	No AGP Risk

* Guidance on N95 Use for staff performing procedures or visits within 6 feet of patients who must be unmasked for >10 minutes

In these situations, staff can substitute a surgical mask with an N95 if more comfortable with this.

Only obtain an N95 when needed. Staff performing non-aerosolizing procedures that meet this criteria should obtain no more than 1 N95 per week to be used for all non-AGP use under this criteria.

Clinic	Procedure	Aerosolizing Risk	N95 Recommendation*	Testing Recommendation	Rationale for Testing Recommendation	Rationale for N95 Recommendation
--------	-----------	-------------------	---------------------	------------------------	--------------------------------------	----------------------------------

[Further guidance on N95 use is available here](#)

For questions about this list or to submit a procedure for review, contact: dominique.hall-fowler@bmc.org