

Integrated Procedural Platform (IPP)

Document Title	Version	Updated Date	Approved by
COVID-19 Testing for Operations and Procedures in the IPP	V23	06/08/2021	Alik Farber, David McAneny, Jennifer Tseng

A. Pre-Procedure Clinic (PPC) Testing

All patients will undergo nasopharyngeal (NP) swab testing for COVID-19 two to three calendar days before their scheduled operation or procedure. Testing one calendar day before an operation or procedure will be allowed, but is discouraged. **Patients who are in the process of getting vaccinated against COVID-19 should not be scheduled for an elective or semi-elective procedure on the day of vaccination or 1-3 days after vaccination.** After testing, patients should self-quarantine prior to arrival to BMC for their operation or procedure. Because the sensitivity of the NP swab is operator-dependent, it is best that BMC 710 Testing clinic staff obtain the specimen given their proficiency with such testing. The BMC 710 Testing clinic is located at 710 Albany Street and has both walk-up and drive-thru options for patients. Their phone number is 617-638-7670. All orders for NP swab tests will be placed by Pre-Procedure Clinic (PPC) providers regardless of whether the surgeon's office uses PPC for pre-procedure visits.

1. Scheduling an Operation or Procedure and Pre-Procedure Visit
 - a. When discussing and scheduling a patient's operation or procedure, the surgeon and/or their team will instruct the patient to quarantine for at least 10 days prior to their operation or procedure, to the extent possible
 - b. The Surgical Scheduler will schedule the operation or procedure, in compliance with the current prioritization process in Epic, and will schedule a pre-procedure visit, preferably, 10-14 days prior to the operation
 - i. **Services that DO NOT use PPC**
 1. Surgical Scheduler will schedule a pre-procedure visit with their Department's provider
 2. Surgical Scheduler will then send an InBasket message to the PPC InBasket pool: **BMC Amb PPC Admin**
 3. The subject line of the InBasket message will state "COVID-19 Testing" and the date of the operation or procedure
 4. The following information will be provided in the InBasket message
 - a. Patient name
 - b. Patient MRN or DOB
 - c. Name of surgeon
 - d. Date of operation or procedure
 - e. If testing MUST occur 2 days prior to the operation or procedure, please state this in the InBasket message
 5. If the operation or procedure is cancelled or rescheduled, another InBasket message will be sent to the PPC InBasket pool notifying them of such change

Integrated Procedural Platform (IPP)

- ii. **Services that DO use PPC**
 - 1. Surgical Scheduler will schedule one of three visit types with PPC in Epic. The type of PPC visit will be determined by the surgeon based on established criteria. **See PPC Lab Matrix (Appendix, Exhibit A).**
 - a. Phone visit (currently for Ophthalmology patients only)
 - i. APP will call patient
 - ii. Patients will be given pre-procedure supplies at the BMC 710 Testing clinic, as needed
 - b. APP and Anesthesia visit
 - i. Patient will come to PPC for an in-person visit
 - ii. Patient will be given pre-procedure supplies in the PPC, as needed
 - c. Anesthesia only visit
 - i. Patient will come to PPC for an in-person visit
 - ii. Patient will be given pre-procedure supplies in the PPC, as needed
 - c. The APP performing the pre-procedure visit, whether using phone, in the PPC or in the home Department, will verbally screen for COVID-19 (e.g., unexplained fever, cough, shortness of breath, chills, muscle pain, headache, sore throat, chest pain, new loss of taste or smell, or exposure to a COVID-19 positive individual during the past 14 days¹)
 - i. APP will notify the surgeon via an Outlook email message as well as call the surgeon on their cell phone of a positive verbal screen
 - ii. If the patient is at BMC for an in-person pre-procedure visit and screens positive
 - 1. At an entrance wellness check station, they will be directed to the CRO ILI 2 clinic for testing
 - 2. After they arrive at the clinic for their visit, the clinic will follow current Ambulatory protocols for positive screens
- 2. PPC NP Swab Order Entry
 - a. The PPC will be responsible for entering **ALL** orders for NP swab tests to be completed two to three calendar days prior to the operation or procedure. They will also schedule an appointment for the patient at the BMC 710 Testing clinic in Epic. **See Tip Sheet on Pre-Procedure COVID-19 Testing in BMC 710 Testing Clinic (Appendix, Exhibit B).** Depending on the surgical department/division, the PPC may either receive a message via InBasket notifying them that an order needs to be entered or the patient will be scheduled for a PPC visit.
 - i. InBasket message
 - 1. APP will enter the order for NP swab and either the APP or administrative support staff will schedule an appointment for the patient with the BMC 710 Testing clinic for 2-3 days before the operation or procedure on the day the InBasket message is received. The patient will be contacted to advise them of the testing requirement, coordinate and schedule the testing appointment and provide them helpful information.

¹ Patients with exposure to a lab-confirmed COVID-19 case may discontinue isolation precautions after 10 days of quarantine from last exposure if patient has not developed any signs/symptoms consistent with possible COVID-19.

Integrated Procedural Platform (IPP)

The order will be entered as part of a Telephone Encounter or an Orders Only Encounter.

- ii. Phone visit
 1. APP will enter order for NP swab and schedule an appointment for the patient with the BMC 710 Testing clinic for 2-3 days before the operation or procedure on the day they perform the phone visit. The order will be entered as part of a Telephone Encounter or an Orders Only Encounter.
 - iii. APP and Anesthesia visit
 1. APP will enter order for NP swab and schedule an appointment for the patient with the BMC 710 Testing clinic for 2-3 days before the operation or procedure on the day they perform the in-person visit. The order will be entered from the PPC Encounter.
 - iv. Anesthesia only visit
 1. APP or administrative support staff will run a report in Epic each morning to determine the Anesthesia only visits happening that day and APP will enter the order for NP swab and administrative support staff will schedule an appointment for the patient with the BMC 710 Testing clinic for 2-3 days before the operation or procedure the day the Anesthesia only visit occurs. The patient will be contacted to advise them of the testing requirement, coordinate and schedule the testing appointment and provide them helpful information. The order will be entered as part of a Telephone Encounter or an Orders Only Encounter.
3. BMC 710 Testing Clinic
- a. Patients will be instructed to go to the BMC 710 Testing clinic two to three calendar days before their operation or procedure. **If testing is done one day prior to their operation or procedure, the patient must be tested between 8am-11am.**
 - b. The BMC 710 Testing clinic will be open Monday-Friday from 7:30am – 4:00pm and on Saturdays and Sundays from 8am-noon
 - c. Patient will arrive at BMC 710 Testing clinic:
 - i. BMC 710 Testing clinic staff member will check that the NP swab order is in Epic
 1. If yes, he/she will print labels and label appropriate tubes
 2. If no, he/she will check EPIC to verify that patient’s operation or procedure is scheduled for the next day or two.
 - a. If yes, clinic staff member will enter the order in Epic and the BMC 710 Testing clinic will then print labels and label tube
 - ii. Once the swab is completed, if the patient’s operation or procedure is the following day, the BMC 710 Testing clinic will send the specimens to the Lab to arrive there no later than 11:30am in order for results to be returned by 4pm-5pm the day prior to the operation or procedure
4. PPC Results Monitoring
- a. NP swab test results will be sent directly from the Lab to the ordering PPC provider as well as the surgeon via InBasket and PPC staff will also monitor results
 - i. If the result is **negative**
 1. The result will be routed directly to the ordering provider and the surgeon via InBasket

Integrated Procedural Platform (IPP)

2. No additional email or call will be made to the surgeon or the patient by PPC staff
3. The operation or procedure will proceed as scheduled
- ii. If the result is **positive or inconclusive**
 1. **Prior to January 11, 2021**, PPC APP will send an Outlook email message to the surgeon advising them of the positive result as well as call the surgeon on their cell phone. **The surgeon will contact the patient to advise them of the positive result** and discuss plans for the operation or procedure.
 2. **Effective January 11, 2021**, all COVID positive result notifications will be centralized in the PPC. PPC APP will send an Outlook email message to the surgeon advising them of the positive result as well as call the surgeon on their cell phone. **A Registered Nurse or APP will contact the patient to advise them of the positive result**, provide them with pertinent information regarding their diagnosis, and appropriately document the conversation in Epic.
 - a. If the decision is made to not proceed with the operation or procedure (advisable for most cases) the surgeon's office should follow steps in Section H below
 - b. If the decision is made to proceed with operation or procedure
 - i. **Elective operations and procedures should be avoided on patients who test positive for COVID-19**
 - ii. For elective cases deemed critical, the surgeon will need to contact Dr. Jennifer Tseng, Dr. David McAneny, or their designee to discuss the decision to proceed with the operation or procedure
- iii. If patient is a **no-show** for the NP swab
 1. The case will need to be rescheduled if there is not sufficient time to schedule a new testing appointment for the patient
 2. PPC administrative support staff will send an Outlook email message to the surgeon and their Surgical Scheduler notifying them of the no show and their office will need to reschedule the operation or procedure
 3. Once rescheduled, the Surgical Scheduler will send a new InBasket message to the PPC with the new date of the procedure so the PPC can reschedule the COVID-19 test and the appointment with the BMC 710 Testing clinic

Cases Exempt from Pre-Procedure COVID-19 Testing

Integrated Procedural Platform (IPP)

As of 5/24/2021:

Patients undergoing certain non/low aerosolizing interventional procedures are now exempt from pre-procedural COVID-19 testing.

Asymptomatic patients listed below will no longer be required to obtain a pre-procedural COVID test:

- All interventional radiology, interventional cardiology and endovascular vascular surgery procedures that **are not** booked to be done with anesthesia.
- Diagnostic cerebral angiograms (all other neurointerventional procedures require COVID testing)
- Implantable subcutaneous monitors (all other electrophysiology procedures require COVID testing)
- Colonoscopies
- Pain management procedures

B. Day of Surgery Testing

Pre-Procedure Testing @ 710 Albany St:

Mon-Fri: 7:30AM – 4:00PM

Saturday – Sunday: 8:00am – 12:00pm

In the event that an outpatient needs to have add-on emergent or urgent same day surgery/procedure:

1. If the case presents during 710 Albany St Hours of Operation (above) and the patient is able to go to 710 Albany St for testing, follow these steps to get patient scheduled and results marked STAT:
 - a. Page the 710 Pre-Op Testing STAT Results pager at 3623 – STAT pager runs on the same hours of operation as above.
 - i. Please include: Ordering department, ordering provider, patient name, MRN, call back number & add-on surgery.
 - b. Ordering department needs to place a COVID-19 STAT order in EPIC for the patient
 - i. Order Set: Same Day Direct Admission Order set
 - ii. Order Name: SARS-CoV-2 (Novel Coronavirus 2019)
 - iii. Priority: STAT
 - iv. Specimen will be run on the Simplexa assay (TAT 1.5 - 2 hours)
 - c. Upon arrival, 710 Albany staff will schedule the patient's appointment on EPIC and obtain a swab sample
 - i. PLEASE NOTE: 710 Albany testing site **cannot accommodate** bedded or critically ill patients. Patients need to have the ability to walk to 710 Albany and enter through the lobby for "walk-in" testing or use the drive-thru for "in-car" testing
2. If the patient is critically ill, bedded, and/or are clinically unable to go to 710 Albany for same day testing OR presents outside of the 710 Albany Pre-Op Testing Hours the following protocol will be followed: For those patients who are not critically ill and are not bedded the NP swab will be performed in the **Endoscopy Triage Room 2306**. Because access to the rapid Cepheid test is

Integrated Procedural Platform (IPP)

limited, this option should only be considered if absolutely necessary. Patients who are critically ill or bedded will be tested in **Preoperative Bay #4** (negative pressure isolation room).

- a. Patients will be instructed to do the following when arriving to BMC for their operation or procedure
 - i. The patient will arrive at the Moakley lobby entrance 2-3 hours before the scheduled operation or procedure
 1. Patient should arrive at 6am for the first case of the day
 - ii. The patient will stop at the Moakley lobby wellness check station for screening
 - iii. If the screening is **negative**
 1. The patient will proceed to the OR Registration Desk
 - iv. If the screening is **positive**
 1. The staff at the Moakley wellness check station will send the patient to the CRO ILI 2 clinic for testing and the operation or procedure will be rescheduled
- b. After the patient checks in with the OR Registration Desk, the following steps will be followed
 - i. Registration staff will contact a Pre-op RN or the Perioperative Nurse Educator by phone at 617-414-4151 and they will escort the patient to Endoscopy Triage Room 2306 or Preoperative Bay #4 (negative pressure isolation room) to perform an NP swab
 - ii. The primary surgeon or a member of the surgery team will place the NP swab order as part of the pre-op order set
 1. The ordering provider must select one of the following
 - a. "For case starts prior to 0900, order the following" (specimen will be run on the Cepheid assay (TAT 1.5 hours)
 - b. "For case starts after 0900, order the following" (specimen will be run on the Simplexa assay (TAT 2.5-3 hours)
 - iii. The nurse performing the NP swab must wear appropriate PPE as per the IPP PPE Guidelines for care of a patient whose COVID-19 status is unknown
 - iv. Before entering the testing room, the nurse will tape the empty plastic specimen bag to the outside of the testing room door then the testing room door must be closed for the NP swab procedure
 - v. The necessary supplies for the procedure are located in a cart in the testing room. The cart must be kept closed during the procedure. Items in the testing room are covered in plastic to allow for ease of cleaning.
 1. The person using the supplies in the cart must replace them
 - a. Order in Epic, Service Tasks tab
 - vi. Labels will print in Pre-op
 - vii. Once the NP swab is completed, the nurse places the swab into the specimen bag hanging on the outside of the testing room door with the Pre-op call back extension
 - viii. Specimen will be sent to the Main Lab (Station# 675) via pneumatic tube

Integrated Procedural Platform (IPP)

- ix. Upon completion of the NP swab, the patient will replace their mask and then wait in the testing room or be taken to an isolation room to wait for results to be obtained
- x. Surfaces in the room which the patient had contact with should be wiped down. There is no need for a waiting period to test another patient in the room.
 1. If the result is **negative**
 - a. The testing room does not need to be cleaned by EVS
 - b. Patient will be taken to Pre-op Area and the team will proceed with the normal pre-op process. A parent accompanying a pediatric patient, can stay in the Pre-op Area, but will not come into the OR.
 2. If the result is **positive or inconclusive**
 - a. EVS will perform a thorough cleaning of the testing room
 - b. The nurse will notify the surgeon of a positive result and the operation or procedure will be rescheduled

C. Testing Department of Corrections (DOC) Patients

1. DOC patients will not be scheduled for operations or procedures on Saturdays and Sundays due to the difficulty in transporting them to BMC on weekends and holidays
2. DOC patients who have an operation or procedure scheduled on a Monday will require testing on the previous Friday. Those scheduled for a procedure on the day after a Monday holiday, will receive day of surgery testing because of the difficulty in transporting them to BMC for COVID-19 testing on weekends and holidays
3. In all other instances, DOC patients will be tested as described above at the BMC 710 Testing clinic two to three calendar days prior to their procedure

D. Pediatric Surgical Patients

1. Testing of pediatric surgical patients will follow the same guidelines described above for adult patients
2. Parents will not be tested for COVID-19, but will be verbally screened at appropriate intervals and required to wear masks while at BMC
3. A pediatric patient will be accompanied by one parent only
4. COVID-19 testing on pediatric surgical patients will be performed using NP swabs only

E. Inpatient Testing

1. All patients who are admitted to the hospital through the emergency room for possible admission will be tested for COVID-19, consistent with current practice.

Integrated Procedural Platform (IPP)

2. If the patient's test is negative and they have no concerning symptoms or findings for COVID-19 (fevers, opacities on chest CT, etc.), they will be considered a candidate for surgery using the non-COVID-19 protocol.
 - a. **Patients who are considered Exposed/No Suspicion Probability (Quarantine Status):** For patients who have been exposed to a lab-confirmed case of COVID-19, isolation precautions may be discontinued after 10 days of quarantine from last exposure **if patient has not developed any signs/symptoms consistent** with possible COVID-19 ([see Removal of Isolation Precautions](#)).
3. The OR will continue to monitor the COVID-19 status through EPIC and an icon dedicated to COVID-19 status will remain on the main OR board. All patients being brought to the OR for an elective procedure must have blue icon which represents negative testing.
4. Because there is a possibility of infection during the hospitalization, all inpatients (excluding patients who previously tested positive and meet criteria below) will be retested within 72 hours or 3 calendar days of their procedure (whichever is longer) to confirm that they are negative, before bringing them to the OR. It will be the responsibility of the team that plans the OR procedure to obtain this documentation. **If patient is asymptomatic (no symptoms consistent with COVID-19), patient may remain in non-COVID ward while test is pending.** COVID-19 positive patients who require emergency operations or procedures will be treated in accordance with the COVID-19 protocols.
 - a. If a COVID-recovered patient has previously tested positive for COVID-19 and is asymptomatic, retesting is not recommended within 3 months (90 days) after the date of the first positive test for the initial COVID-19 infection. These patients do not require a COVID test prior to a procedure.
5. **All inpatient COVID-19 tests will performed using NP swabs except that Anterior Nares (AN) Swabs** will be used in in the following patients; those who had a negative NP swab for admission and who are asymptomatic, do not present a concern for COVID-19, and had no COVID-19 exposure within 14 days.

F. Emergent and Urgent Cases from ED

1. For patients who require immediate operations or procedures and who could not undergo COVID-19 testing in the Emergency Department, the patient will be treated as **Unknown COVID-19 Status** with regard to PPE
2. For urgent cases coming directly from the ED, if the patient has symptoms concerning for COVID-19 infection, the patient will wait in the ED until a COVID-19 test is performed and resulted
3. For urgent cases coming directly from the ED, if the patient does not have symptoms concerning for COVID-19 infection, the patient can proceed to the pre-operative area after the COVID-19 test has been performed, but before it has been resulted

Integrated Procedural Platform (IPP)

G. Testing Performed at another Facility

1. This is not a preferred method of pre-procedure testing, but if necessary, pre-procedure COVID-19 testing may be done at an outside facility within two to three calendar days of the scheduled operation or procedure and results received at BMC no later than 4pm the day before the operation or procedure
 - a. Results may be faxed to the PPC at 617-638-6284
2. The patient or the surgeon's staff will be responsible for arranging the outside test and obtaining results before 4pm the day prior to the operation or procedure as well as sending the results to the PPC
3. An InBasket message will be sent to the PPC notifying them that the patient will be having a COVID-19 test done at an outside facility
4. PPC will notify the surgeon if results have not been received by 4pm the day prior to operation or procedure
5. **Results from Abbott NOW tests using nasal (not NP) swab will not be accepted. Abbott RT-PCR test using NP swab will be accepted.**

H. Retesting and Rescheduling Procedure after Positive Result Received Prior to Original Procedure Date (or patient has exposure to a lab-confirmed case of COVID-19)

1. Patients who tested positive for COVID more than 90 days ago will only need to have **one** COVID test performed two to three calendar days prior to the operation or procedure. For these patients, the process through PPC as described in Section A of this document is to be followed.
2. COVID-recovered patients who had an initial positive test less than 90 days ago and have achieved symptom-based clearance (see Section 4 below) and remain asymptomatic will not require a repeat COVID test before their operation or procedure.
3. COVID-recovered patients who had an initial positive test less than 90 days ago and have **new** COVID-related symptoms should be re-tested.
4. If a patient had an initial positive test <90 days ago and does not meet [criteria for symptom-based clearance](#), the procedure will be placed back on the surgical schedule:
 - a. at least 10 days after the first positive test for mild-moderate COVID-19 OR at least 20 days after the first positive test for severe COVID-19; AND 24 hours after the resolution of fever (without antipyretics) and improvement in respiratory symptoms
 - b. The surgeon will notify their Surgical Scheduler once the patient's symptoms resolve and they are able to place the case back on the surgical schedule or if the patient is asymptomatic
5. Once a patient has achieved symptom-based clearance and if the positive COVID test was >90 days prior to the new surgical date, the surgeon's office should follow the steps in Section A to have the patient retested once prior to surgery
6. Patients who have been **exposed to a lab confirmed case within the last 14 days**, can be scheduled for procedures on day 11 post-exposure if the patient has not experienced any symptoms up to

Integrated Procedural Platform (IPP)

that point. For these patients, the process through PPC as described in Section A of this document is to be followed.

- a. For clinic-based procedures, refer to [Ambulatory Clinic Guidelines](#).

I. Postoperative Fever Testing for Inpatients

1. Patients on inpatient floors who develop a fever after an operation or procedure will be subjected to the following protocol:
 - a. For a fever 24-72 hours postoperatively, a standard postoperative work-up should be performed.
 - b. For a fever ($T \geq 101$ F) occurring at 72 hours postoperatively, the surgical team will:
 - i. Order NP swab for COVID testing
 - ii. Send blood for Inflammatory markers including serum CRP, LDH and ferritin
 - iii. Send CBC with differential and platelet count
 - iv. Order a PA and lateral chest x-ray (or portable chest x-ray if patient unable to be transported to radiology department)
 - c. Patient will be placed under Droplet Contact Precautions (N95 mask, gown, face shield and double gloving) until test results are available.
 - i. If NP swab test is negative, but CXR has infiltrates or blood work shows lymphopenia or platelets ≤ 135 k/ microL, then a repeat NP COVID will be sent and enhanced PPE care will continue.
 - ii. If the second COVID test is negative, then enhanced PPE care will be discontinued.

J. Appendices

[Exhibit A: Pre-Procedure Clinic Lab Matrix](#)

[Exhibit B: Pre-Procedure COVID-19 Testing in BMC 710 TESTING Clinic](#)

Integrated Procedural Platform (IPP)

BOSTON MEDICAL CENTER Pre-Procedure Clinic

Lab Matrix

	CBC	BMP	INR / PT	PTT	LFTs	TSH T3/T4	UA C/S	ECG	CXR	Vitamin D	Albumin	Pre Alb	A1C	MSSA	T&S	Cr
Cardiovascular Disease (i.e. MI, CHF, pacemaker, AICD, CAD, coronary stents)	x							x								
Pulmonary disease (i.e. COPD, active asthma)	x							x								
ESRD on dialysis	x	x						x								
Renal Insufficiency	x	x														
Hepatic/Liver Disease	x	CMP	x		x											
HTN								x								
Diabetes		x						x					x			
Vascular Disease	x							x								
UTI symptoms							x									
Bleeding Disorders	x		x	x												
Chemotherapy	x	x														
Diuretics		x														
On Methadone									x							
Hypothyroidism (If not done within 3 months of PPC appointment)						x										
Anticoagulants			x	x												
TYPE OF SURGERY																
General Note: For back surgeries with an ortho surgeon, follow ortho labs; with neuro surgeon, follow neuro labs																
Neurosurgery (Must be completed within 30 of surgery, regardless of patient age)	x	x	x	x			x	x						x	x	
Gyn (T&S for Lab Hysterectomy, Oophorectomy, Salpingectomy)	x	x													x	
OB (Labs must be ordered within 2 weeks of surgery - reorder if > 2wks old)	x														x	x
Major surgeries: (i.e. cardiac, thoracic, vascular, abdominal) Except varicose veins and angiograms. (NO MSSA for abdominal)	x	x						x						x		
Total Thyroidectomy						x				x						
Total joint replacement (INR/PT Only on Knees and Hips)	x	CMP	x					x		x		x	x	x	x	
Spinal surgery w/ hardware							x				x	x	x	x		
ALIF/other fusions *UA C/S only for lumbar	x	CMP					x*			x		x	x		x	
Bariatric surgery	x	CMP						x			in CMP					
Vascular surgery			x													
GU surgery							x									
GI	x	x														
GI Foregut/Abd (Dr. Sachs' and Tseng's pancreas/liver/gastric resections)	x	CMP														x
Cardiac surgery														x		
Implantation of prosthetic material														x		
PLASTIC SURGERY																
(Plastics will do their own T&S) NV = neovaginalplasty																
History & Physical																
Within 30 days																
Labs																
Within 3 months for age > 70 years old - see exceptions bolded above																
Within 6 months for age < 70 years old - see exceptions bolded above																

Release date: 5/29/2020

Role: NP/PA (PPC) RN

Pre-Procedure COVID-19 Testing in BMC 710 TESTING Clinic

Any patient needing a COVID-19 test prior to a procedure will need to have an order placed and an appointment scheduled in BMC 710 Testing.

1. The **COVID-19 Pre-Procedure and High-Risk Ambulatory Order Set** needs to be placed from an encounter.
2. Once the order is placed, a corresponding appointment needs to be scheduled in **BMC 710 Testing**.

Depending on where you are located, use the following steps to place the order:

3. To place the order from Outpatient Areas, Telephone Encounters, and/or Orders Only Encounters:
 - a. From your navigator go to **SmartSets**. Select the **COVID-19 Pre-Procedure and High-Risk Ambulatory Order Set**. **Open** the SmartSet.




- b. **Sign the SmartSet** (complete any required actions or errors).

4. To place the order from a PPC encounter:
 - a. From the **PPC** navigator go to **Order Set**. Select the **COVID-19 Pre-Procedure and High-Risk Ambulatory Order Set**. **Open** the Order Set.
 - b. Once the Order Set is open select **Dx Association**. Type **“COVID Encounter”** and you will select the diagnosis z11.59 Encounter for laboratory testing for COVID-19 virus.



Integrated Procedural Platform (IPP)

- c. Associate the diagnosis to the SARS-CoV-2 order and select **Accept**.




- d. **Sign the orders** (complete any required actions or errors).

5. Schedule the visit in BMC 710 Testing using the **One Click button** . The department you are logged into will determine where you will find the One Click button:


- Schedule (Multi-Provider Schedule)
- Status Board
- In Basket Staff Message
- From the DAR (Department Appointment Report)

- a. With the patient's name highlighted **select One Click**. If you didn't have the patient name highlighted, you will be presented with the **Patient Search** window. Find the patient by searching for Last Name, First Name or MRN.

- b. Change the **Department** to BMC 710 TESTING. Select **Pre-Admission Testing Visit**:



- c. All available timeslots display. Appointments are scheduled in 10 minute increments. Select an available appointment slot:



Crosstown Testing Visit					
Today, Wednesday May 20, 2020					
CRO ILI PROVIDER in CRO TESTING					
10:50 AM 10 min	11:00 AM 10 min	11:10 AM 10 min	11:20 AM 10 min	11:30 AM 10 min	11:40 AM 10 min
1:50 PM 10 min	2:00 PM 10 min	2:10 PM 10 min	2:20 PM 10 min	2:30 PM 10 min	2:40 PM 10 min

- d. You will be presented with a confirmation window to confirm the date and time with the patient. Select **Accept**. The appointment is now scheduled.

6. COVID19 lab results will route back to the ordering/authorizing provider and can also be found in the Labs Tab in Chart Review.