



















Indication	PPE	Optional PPE	Visual	When to wear	When to discard	Decontamination
Patient	- Surgical or procedural mask -HME Bib to cover stoma			Inpatient - When leaving room - With prolonged contact (<6 feet, > 15 minutes) with HCW Outpatient - At all times	- One per day - Discard if wet, soiled or damaged	No
Employee Common areas	- Surgical or KN mask		 OR 	-In hallways, lobbies, break rooms and other non-clinical areas	- One per shift - Discard if wet, soiled or damaged	No
COVID-19 care areas	- N95 - Eye covering (face shield, goggles, safety glasses) -Double gloves - Gown			- In patient rooms - Limited reuse during 1 shift of N95 (place in personal Tupperware when not in use)	- N95: one per shift* -Goggles/Safety Glasses: Discard if damaged - Disposable face shield: one per shift - Disposable gowns discarded after each use	- Washable gowns should be placed in marked bin - New N95's are obtained from Scrub Ex machine
Non-COVID-19 care areas	-Surgical or KN mask - Eye Covering (face shield, goggles, safety glasses) -Gloves	Gown (optional unless risk of clothing contamination)	 OPTIONAL PPE	-In patient rooms - Surgical or KN mask worn throughout shift	- One mask per shift - Discard mask if wet, soiled or damaged - Disposable face shield: one per shift -Goggles/Safety Glasses: Discard if damaged - Disposable gowns discarded after each use	- Washable gowns should be placed in marked bin
ILI/Patient tent	-N95			-Wear PPE for consecutive patient encounters, changing	- One N95 per shift	Washable gowns should be placed in marked bin

	<ul style="list-style-type: none"> -Eye Covering (face shield, goggles, safety glasses) -Double gloves -Gown 		 or  	<ul style="list-style-type: none"> outer layer of gloves in between patients 	<ul style="list-style-type: none"> - Disposable face shield: one per shift - Goggles/Safety Glasses: Discard if damaged - Gown: change as needed and prior to breaks 	New N95's are obtained from Scrub Ex machine
Ambulatory – Non COVID-19	<ul style="list-style-type: none"> Surgical or KN mask -Eye Covering (face shield, goggles, safety glasses) -Gloves 	<ul style="list-style-type: none"> -N95 (For staff performing procedures within 6 feet of patients who must be unmasked for >10 minutes) Gown (optional unless risk of clothing contamination) 	 or  or  OPTIONAL PPE  	<ul style="list-style-type: none"> - In exam rooms - Surgical or KN mask worn throughout shift 	<ul style="list-style-type: none"> - One mask per shift (One N95 per week for non-covid-19 patients) - Discard mask if wet, soiled or damaged - Disposable face shield: one per shift -Goggles/Safety Glasses: Discard if damaged - Disposable gowns discarded after each use 	New N95's are obtained from Scrub Ex machine
Ambulatory (COVID + or Aerosolizing Procedures)	<ul style="list-style-type: none"> -N95 - Eye Covering (face shield, goggles, safety glasses) -Double gloves -Gown 		  or  	<ul style="list-style-type: none"> - In exam rooms - Expanded use of N95 and face shield 	<ul style="list-style-type: none"> *COVID +: One N95/day *High-Risk aerosol: One N95/case *Low-risk aerosol: One N95/day - Discard N95 if wet, soiled or damaged - Disposable face shield: one per shift -Goggles/Safety Glasses: Discard if damaged - Disposable gowns discarded after each use 	New N95's are obtained from Scrub Ex machine

*Please refer to “Ambulatory N95 Frequency of Use Summary” [link](#)