















Indication	PPE	Optional PPE	Visual	When to wear	When to discard	Decontamination
Patient	- Surgical or procedural mask			In-patient - When leaving room - With prolonged contact (<6 feet, > 15 minutes) with healthcare worker Out-patient - At all times	- One per day - Discard if wet, soiled or damaged	No
Employee Common areas	- Surgical or KN mask		 OR 	-In hallways, lobbies, break rooms and other non-clinical areas	- One per shift - Discard if wet, soiled or damaged	No
COVID-19 care areas	- N95 - Eye covering (face shield, goggles, safety glasses), - Double gloves - Gown		  or   	- In patient rooms - Limited reuse of N95 (place in personal Tupperware when not in use)	- N95: one per shift* - Disposable face shield: one per shift - Other PPE: one patient care encounter - For intermittent N95 use replace weekly	- Disposable gowns discarded after each use - Washable gowns should be placed in marked bin - N95's placed in recycle bin at end of use *** Except Small 3M's which are a one for one trade at mask dispensing site
Non-COVID-19 care areas	-Surgical or KN mask	- Eye Covering (face shield, goggles, safety	 or 	-In patient rooms	- One mask per shift	- Disposable gowns discarded after each use

		<p>glasses) (optional unless risk of splashing) -Gloves (optional unless risk of hand contamination) Gown (optional unless risk of clothing contamination)</p>	<p>OPTIONAL PPE</p> 	<p>- Can wear surgical or KN mask throughout shift</p>	<p>- Discard mask if wet, soiled or damaged - Disposable face shield: one per shift - Other PPE: one patient care encounter</p>	<p>- Washable gowns should be placed in marked bin</p>
ILI/Patient tent	<p>-N95 - Eye Covering (face shield, goggles, safety glasses) -Double gloves -Gown</p>			<p>-Wear PPE for consecutive patient encounters, changing outer layer of gloves in between patients</p>	<p>- One N95 per shift - One face shield per shift - Gown: change as needed and prior to breaks</p>	<p>Washable gowns should be placed in marked bin N95's placed in recycle bin at end of use *** Except Small 3M's which are a one for one trade at mask dispensing site</p>
Ambulatory – Non COVID-19	Surgical or KN mask	<p>-N95 ((for the care of patients who must be unmasked for >10 minutes) Eye Covering (face shield, goggles, safety glasses) (optional unless risk of splashing) -Gloves (optional unless risk of hand contamination) Gown (optional unless risk of clothing contamination)</p>	 <p>OPTIONAL PPE</p>	<p>- In exam rooms - Can wear surgical or KN mask throughout shift</p>	<p>- One mask per shift - Discard mask if wet, soiled or damaged - Disposable face shield: one per shift - Other PPE: one patient care encounter</p>	<p>Disposable gowns discarded after each use N95's placed in recycle bin at end of use *** Except Small 3M's which are a one for one trade at mask dispensing site.</p>

<p>Ambulatory (COVID + or Aerosolizing Procedures)</p>	<p>-N95 -Face shield -Double Gloves -Gown</p>			<p>- In exam rooms - Expanded use of N95 and face shield</p>	<p>- One N95 per shift <i>Unless used for aerosol generating procedures</i> <u>*High-Risk aerosol:</u> One N95/case <u>*Low-risk aerosol:</u> One N95/day - Discard N95 if wet, soiled or damaged - Disposable face shield: one per shift - Other PPE: one patient care encounter</p>	<p>Disposable gowns discarded after each use Washable gowns should be placed in marked bin N95's placed in recycle bin at end of use *** Except Small 3M's which are a one for one trade at mask dispensing site</p>
--	---	--	---	---	---	--

*Please refer to “Ambulatory N95 Frequency of Use Summary” [link](#)